



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT

Report No : FD/16110097-01

Report Date : 22 Nov 2016

### SAMPLE DRAWN BY CUSTOMER

Customer Name : A.R.DAIRY FOOD PRIVATE LIMITED

Customer Address : 10/5C, Madurai Road, Begampur(PO) Dindigul 624 002.

Sample Name : Malabar Double Toned Milk

Sample No : FD/16110097-01

Sample Received on : 14 Nov 2016

Sample Reference : Test Request dated 11 Nov 2016

Test Started on : 14 Nov 2016

Sample Quantity : 500ml x 2

Test Completed on : 22 Nov 2016

Sample Identification : Batch No. ZUK.H1.11,  
Mfd Dt: 11/11//16., UBD Dt: 14/11/16

### Test Results

Sl.No	Parameter	Test Method	Unit	Requirement as per FSSAI ACT 2006	Results
1	AflatoxinM1	SMSLA/IN/SOP/21	µg/kg	NMT 0.5	BDL(DL:0.05)
2	Agaric acid	SMSLA/IN/SOP/53	mg/kg	NMT 100.0	BLQ(LOQ:20.0)
3	Hypericine			NMT 1.0	BLQ(LOQ:0.2)
4	Saffrole			NMT 10.0	BLQ(LOQ:0.5)
5	Hydrocyanic acid			AOAC 19 <sup>th</sup> Edn.2012-915.03	NMT 5.0
6	Lead as Pb	SMSLA/IN/SOP/87	mg/kg	NMT 0.02	BDL(DL:0.01)
7	Copper as Cu		mg/kg	NMT 30.0	2.48
8	Arsenic as As		mg/kg	NMT 0.1	BDL(DL:0.25)
9	Zinc as Zn		mg/kg	NMT 50.0	53.21
10	Tin		mg/kg	NMT 250.0	BDL(DL:0.25)
11	Cadmium as Cd		mg/kg	NMT 1.50	BDL(DL:0.25)
12	Methyl Mercury		mg/kg	NMT 0.25	BDL(DL:0.25)
13	Mercury as Hg		mg/kg	NMT 1.0	BDL(DL:0.1)
14	Calcium as Ca		mg/100g	Not Specified	125.73
15	Sodium		mg/100g	Not Specified	46.65
16	Potassium	mg/100g	Not Specified	93.65	
17	Solid Not Fat(SNF)	DGHS Lab Manual-1,2005	g/100g	NLT 9.0	9.45
18	Protein (N x 6.38)	DGHS Lab Manual-1,2005	g/100g	Not Specified	3.74
19	Fat	DGHS Lab Manual-1,2005	g/100g	NLT 1.5	1.53
20	Carbohydrate	Pearson Composition and Analysis of Foods, 9 <sup>th</sup> Edn.1991	g/100g	Not Specified	4.96
21	Energy	Pearson Composition and Analysis of Foods, 9 <sup>th</sup> Edn.1991	Kcal/100g	Not Specified	48.60
22	Phosphorous as P	AOAC 19 <sup>th</sup> Edn.2012-991.25	mg/100g	Not Specified	86.30

*Dr. R. Nagaraj*  
Authorised Signatory  
**R.NAGARAJ**

**Sr. Executive Chemist**

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone : 044-26811662 - 664

Accredited by NABL : Approved by EIC, BIS : Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007

WARNING : The Findings constitute no warranty of the samples representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Any holder of this document is advised that information contained



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT

Report No : FD/16110097-01

Report Date : 22 Nov 2016

Sl.No	Parameter	Test Method	Unit	Requirement as per FSSAI ACT 2006	Results
<b>Pesticide Residues</b>					
1	Chlordane	SMSLA/IN/SOP/15	mg/kg	NMT 0.05	BDL (DL: 0.01)
2	Aldrin			NMT 0.15	BDL (DL: 0.01)
3	Dieldrin			NMT 0.15	BDL (DL: 0.01)
4	2,4' - DDD			NMT 1.25	BDL (DL: 0.01)
5	2,4' - DDE			NMT 1.25	BDL (DL: 0.01)
6	2,4' - DDT			NMT 1.25	BDL (DL: 0.01)
7	4,4' - DDT			NMT 1.25	BDL (DL: 0.01)
8	4,4' - DDE			NMT 1.25	BDL (DL: 0.01)
9	4,4' - DDD			NMT 1.25	BDL (DL: 0.01)
10	Chlorpyrifos			NMT 0.01	BDL (DL: 0.01)
11	Monocrotophos			NMT 0.02	BDL (DL: 0.01)
12	Ethion			NMT 0.5	BDL (DL: 0.01)
13	Phorate			NMT 0.05	BDL (DL: 0.01)
14	Heptachlor			NMT 0.15	BDL (DL: 0.01)
15	Fenithrothion			NMT 0.05	BDL (DL: 0.01)
16	Alpha -HCH			NMT 0.05	BDL (DL: 0.01)
17	Beta - HCH			NMT 0.02	BDL (DL: 0.01)
18	Gamma - HCH			NMT 0.01	BDL (DL: 0.01)
19	Delta - HCH			NMT 0.02	BDL (DL: 0.01)
20	Chlorifenvinphos			NMT 0.2	BDL (DL: 0.01)
21	2,4,D			NMT 0.05	BDL (DL: 0.01)
22	Paraquate-Dichloride			NMT 0.01	BDL (DL: 0.01)
23	Trichloroforn			NMT 0.05	BDL (DL: 0.01)
24	Carbendazim			NMT 0.10	BDL (DL: 0.01)
25	Benomyl			NMT 0.10	BDL (DL: 0.01)
26	Carbofuran			NMT 0.05	BDL (DL: 0.01)
27	Cypermethrin			NMT 0.01	BDL (DL: 0.01)
28	Edifenphos			NMT 0.01	BDL (DL: 0.01)
29	Fenthion			NMT 0.05	BDL (DL: 0.01)
30	Fenvalerate & Esfenvalerate (Sum of RR & SS Isomers)			NMT 0.01	BDL (DL: 0.01)
31	Phenthoate			NMT 0.01	BDL (DL: 0.01)
32	Pirimiphos-methyl			NMT 0.05	BDL (DL: 0.01)
<b>Other Contaminants</b>					
33	Melamine	SMSLA/IN/SOP/45	mg/kg	NMT 2.5	BDL (DL: 0.01)

Page 2 of 3

*Dr. R. Nagaraj*  
Authorised Signatory  
**R.NAGARAJ**  
Sr. Executive Chemist

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone : 044-26811662 - 664

Accredited by NABL : Approved by EIC, BIS : Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007

WARNING : The Findings constitute no warranty of the samples representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. Any holder of this document is advised that information contained herein is for reference only and should not be used for any other purpose.



# SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT

Report No : FD/16110097-01

Report Date : 22 Nov 2016

	Parameter	Test Method	Unit	Requirement as per FSSAI ACT 2006	Results
<b>Aflatoxins</b>					
1	AflatoxinB1	SMSLA/IN/SOP/52	µg/kg	Not Specified	BLQ(LOQ:2.5 )
2	AflatoxinB2				BLQ(LOQ:2.5 )
3	AflatoxinG1				BLQ(LOQ:2.5 )
4	AflatoxinG2				BLQ(LOQ:2.5 )
<b>Antioxidants</b>					
1	TBHQ	SMSLA/IN/SOP/74	mg/kg	Not Specified	BLQ(LOQ:10 )
2	BHA				BLQ(LOQ:10 )
3	BHT				BLQ(LOQ:10 )
1	Sulfur Di Oxide and Sulfites as SO <sub>2</sub>	DGHS LAB Manual 4, 2005	mg/kg	Not Specified	BDL (DL: 10.0)
<b>Microbiology</b>					
1	Total Plate Count	IS 5402:2012	Cfu/mL	30,000	2400
2	E.coli	IS 5887 (Part 1) :1976 ,(Reaff 2009)	--	Absent/mL	Absent/mL
3	Coliforms	IS 5401Part-1):2012	Cfu/mL	< 10/g	< 1
4	S.aureus	IS 5887 (Part 2) :1976 ,(Reaff 2009)	Cfu/mL	< 10/g	< 1
5	Salmonella spp	IS 5887:Part 3:1999(Reaff 2009)	--	Absent/25mL	Absent/25mL
6	Shigella spp	IS 5887:Part 7:1999(Reaff 2009)	--	Absent/25mL	Absent/25mL
7	Yeast & Mould	IS 5403 : 1999	Cfu/mL	Not Specified	< 1

Remarks: The sample complies with the specification as per FSSAI Act 2006 . for above parameter tested

Note : BDL: Below Detection Limit DL: Detection Limit, BLQ: Below Quantification Limit, LOQ: Limit of Quantification.  
:< 1 cfu/mL can be taken as absent.

.....End of Report.....

Page 3 of 3

**JAWAHAR**  
Micro Biologist

*R. Nagaraj*  
Authorised Signatory  
**R.NAGARAJ**

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone : 044-26811662 - 664

**Sr. Executive Chemist**

Accredited by NABL : Approved by EIC, BIS : Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007

WARNING : The Findings constitute no warranty of the samples representativeness of any goods and strictly relate to the sample(s). The Company accepts no liability with regard to the origin or source from which the sample(s) is/are said to be extracted.