

SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT

Report No: FD/17050048-02

Report Date :

10 May 2017

SAMPLE NOT DRAWN BY LABORATORY

Customer Name

: M/S. A.R.DAIRY FOOD PRIVATE LIMITED

Customer Address

: No:10/5c, Madurai Road, Begampur (PO),, Dindugal, 624 002, Tamil Nadu

Sample Name

: Raaj Malabar Cow Milk

Reference

: Letter Dated 03.05.2017

Sample No

FD/17050048-02

Sample Identification

: B.No:NNY.G3.03, UBD:06.05.2017

Sample Received on

04 May 2017

Sample Condition

: Fit for Analysis

Test Started on

04 May 2017

Sample Quantity

: 4 x 500ml

Test Completed on

10 May 2017

Test Results

SI.N	Parameter	Test Method	Results	Unit	Requirement as per FSS ACT 2006
Che	mical				
1	Energy	Pearsons Composition and Analysis of Foods, 9th Edn. 1991	67.84	Kcal/100g	22
2	Carbohydrate	Pearsons Composition and Analysis of Foods, 9th Edn. 1991	4.39	g/100g	<u>ar</u>
3	Fat	DGHS LAB MANUAL1, 2005	3.57	g/100g	NLT 3.50
4	Milk Protein(Nx6.38)	DGHS Lab Manual-1,2005	4.54	g/100g	
5	Solid Not Fat (SNF)	DGHS Lab Manual-1, 2005	8.65	g/100g	NLT 8.50
6	Sulfites as SO2	AOAC 19 th Edition 920 08	BLQ (LOQ:10.0)	mg/kg	4
Mic	robiological Analysis				
7	Coliforms	IS:5401 (Part-1); 2012	<1	cfu/ml	<10
8	E.Coli	IS:5887 (Part 1)-1976; RA 2009	Absent/ml		Absent/ml
9	S.aureus	IS:5887 (Part 2)-1976; RA 2009	<1	cfu/ml	<10
10	Salmonella Spp	IS:5887 (Part 3)- 1999; RA 2009	Absent/25ml	344	Absent/25ml
11	Shigella Spp	IS.5887 (Part 7)- 1999; RA 2009	Absent/25ml	955	1440
12	Total Plate Count	IS:5402-2012	1400	cfu/ml	NMT 30000
13	Yeast And Mould	IS:5403-1999; RA 2009	<1	cfu/ml	
Hear	vy Metals				
14	Zinc as Zn	SMSLA/IN/SOP/87	BDL (DL:0.1)	mg/kg	NMT 50.0
15	Arsenic as As	SMSLAUN/SOP/87	BDL (DL:0.01)	mg/kg	NMT 0.10
16	Cadmium as Cd	SMSLA/IN/SOP/87	BDL (DL:0.1)	mg/kg	NMT 0.10
17	Tin as Sn	SMSLA/IN/SOP/87	BDL (DL:0.1)	mg/kg	NMT 250 0
18	Lead as Pb	SMSLA/IN/SOP/87	BDL (DL:0.01)	mg/kg	NMT 0.02

Page 1 of 3

Authorised Signatory

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone : 044-26811662 - 664

Senior Manager - Food

Accredited by NABL: Approved by EIC, BIS: Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007



SMS LABS SERVICES PRIVATE LIMITED TEST REPORT

Report No: FD/17050048-02

Report Date: 10 May 2017

SI. No.	Parameter	Test Method	Results	Unit	Requirement as per FSS ACT 2006
19	Copper as Cu	SMSLA/IN/SOP/87	BDL (DL:0.1)	mg/kg	NMT 30
20	Methyl mercury as Me-Hg	SMSLA/IN/SOP/87	BDL (DL:0.1)	mg/kg	NM™ 0,25
Mine	erals				
21	Calcium as Ca	SMSLA/IN/SOP/87	127.0	mg/100g	-
22	Sodium as Na	SMSLA/IN/SOP/87	46 24	mg/100g	
23	Potassium as K	SMSLA/IN/SOP/87	96.0	mg/100g	
24	Phosphorous as P	AOAC 19th Edn 2012-991 25	98.54	mg/100g	
Pest	ticides- Poly Halogenated Organic C	ompounds			
25	Hexachlorocycle Hexane and its Isomers	SMSLA/IN/SOP/15	BLQ (LOQ:0.01)	mg/kg	NMT 0.02
Pest	ticides Residues- Benzimidazole	- MARCO S. C.		100	
26	Benomyl	SMSLA/IN/SOP/15	BDL (DL:0 01)	mg/kg	NM™ 0.10
27	Carbendazirn	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NM⊤ 0.10
Pest	ticides Residues- Chlorophenoxy ac	id or ester			
28	2,4- D	SMSLA/IN/SOP/15	BDL (DL:0 01)	mg/kg	NM™ 0.05
Pest	ticides Residues- N-Methyl Carbama	ate			
29	Carbofuran	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NM™ 0.05
Pest	ticides Residues- Organochlorine				
30	DDT	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 1.25
31	Aldrin	SM\$LA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.15
32	Chlordane (cis & trans)	SMSLA/IN/SOP/15	BDL (DL:0,01)	mg/kg	NMT 0.05
33	Dieldrin	SMSLA/IN/SOP/15	BDL (DL:0,01)	mg/kg	NMT 0.15
34	Heptachlor	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.15
Pest	ticides Residues- Organophosphoro	Dus			
35	Chlorpyrifos	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.01
36	Edifenphos	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.01
37	Ethion	SMSLA/IN/SOP/15	BDL (DL:0,01)	mg/kg	NMT 0.50
38	Fenthion	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.05
39	Monocrotophos	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.02

Page 2 of 3

Dr. R. NAGARAJ Mec, Japhii, Pad Assistant Manager (Instrumentation)

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone: 044-26811662 - 664

Accredited by NABL: Approved by EIC, BIS: Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT

Report No: FD/17050048-02

Report Date: 10 May 2017

SI.No	Parameter	Test Method	Results	Unit	Requirement as per FSS ACT 2006
40	Phenthoate	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.01
41	Phorate	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.05
42	Pirimiphos methyl	SMSLA/IN/SOP/15	BDL (DL:0,01)	mg/kg	NMT 0.05
43	Chlorfenvinphos	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.20
44	Fenitrothion	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NM™ 0.05
Pestici	des Residues- Pyrethroids				
45	Cypermethrin	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.01
46	Fenvalerate	SMSLA/IN/SOP/15	BDL (DL:0.01)	mg/kg	NMT 0.01
Cyanar	mides				
47	Melamine	SMSLA/IN/SOP/45	BDL (DL:1.0)	mg/kg	NMT 2.50
Antioxi	idants				200
48	tert-Butylhydroquinone	SMSLA/IN/SOP/74	BLQ (LQQ:10.0)	mg/kg	**
49	Butylated hydroxyanisole	SMSLA/IN/SOP/74	BLQ (LOQ:10.0)	mg/kg	i
50	3,5-Di-terl-4-butylhydroxytoluene	SMSLA/IN/SOP/74	BLQ (LOQ:10.0)	mg/kg	192
51	Ethoxyquin	SMSLA/IN/SOP/74	BLQ (LOQ:25.0)	µg/kg	. वह
Toxins	-Aflatoxins				
52	Aflatoxin B1	SMSLA/IN/SOP/52	BLQ (LOQ:2.5)	µg/kg	-
53	Aflatoxin B2	SMSLA/IN/SOP/52	BLQ (LOQ:2.5)	µg/kg	522
54	Aflatoxin G1	SMSLA/IN/SOP/52	BLQ (LOQ:2.5)	µg/kg	(**
55	Aflatoxin G2	SMSLA/IN/SÓP/52	BLQ (LOQ:2.5)	µg/kg	-2
56	Total Afitoxins (B1+B2+G1+G2)	SMSLA/IN/SOP/52	BLQ (LOQ:2.5)	µg/kg	NMT 30 0
Toxins	-Mycotoxins				
57	Aflatoxin M1	SMSLA/IN/SOP/21	BLQ (LOQ:0.5)	µg/kg	NMT 0.50
Toxins	-NOTs				
58	Hypercine	SMSLA/IN/SOP/53	BLQ (LOQ:0.2)	mg/kg	NMT 1.0
59	Agaric Acid	SMSLA/IN/SOP/53	BLQ (LOQ:20.0)	mg/kg	NMT 100.0
60	Safrole	SMSLA/IN/SOP/53	BLQ (LOQ:0.5)	mg/kg	NMT 10.0
61	Hydrocyanic acid	AOAC 19th Edn 2012-915.03	BLQ (LOQ:5.0)	mg/kg	NMT 5.0

Note: BDL: Below Detection Limit DL: Detection Limit *Non NABL.

BLQ: Below Quantification Limit, LOQ: Limit of Quantification.

<1 cfu/mL can be taken as absent

Remarks: The above sample complies with the specification as per FSS Act 2006 The above tested Parameter.

End of Report Page 3 of 3

Dr. R.NAGARAJ

Assistant Manager (Instrumentation)

39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600 124. Phone: 044-26811662 - 664

Accredited by NABL: Approved by EIC, BIS: Recognized by APEDA, MoEF, FSSAI, AGMARK; Certified by ISO 9001:2008 and OHSAS 18001:2007